



WILPINJONG COAL PTY LTD

Environment Protection Licence (EPL) 12425

Link to Environment Protection Licence EPL12425

LICENCE MONITORING DATA MONTHLY SUMMARY REPORT

for

1 July 2019 to 31 July 2019





Air Monitoring

Air quality surrounding the Wilpinjong Coal Mine is monitored using:

- 1. tapered element oscillating microbalances (TEOM);
- 2. high volume air samplers (HV); and
- 3. dust deposition gauges (DG).

In terms of the above equipment:

- 1. the TEOM and HVAS measure fine dust particles up to 10 microns in diameter (i.e. PM10); and
- 2. the DG measure the total dust deposited in the gauge during the sample period.

All are influenced by mining as well as non-mining activities in the local area.

The location of the above monitoring equipment in relation to Wilpinjong Coal Mine is shown in Figures 6 and 8.

A summary of the monitoring results for the month is provided in Table 1 and the yearly trends are also shown in Figures 1 to 3.

For comparison with Figures 2 and 3, Figure 4 displays the Regional 24Hr PM10 Average. PM10 dust levels for the month have been recorded in Bathurst and Merriwa by NSW EPA.





Table 1 - Air Monitoring

EPL ID No.	Monitoring Point ID.	Pollutant	Unit of Measure	Monitoring Frequency required by EPL	No. of times measured during month	Min. Value	Max. Value	Mean Value	Measurement	Annual Average	Limit	Exceed* (yes/no)	Date Last Sampled	Date Reported
3	DG4	Particulates - TIM	grams per square metre per month	Monthly	1				1.0				29/07/19	14/08/19
4	DG5	Particulates - TIM	grams per square metre per month	Monthly	1				3.4	2.4	4.0	No	29/07/19	14/08/19
6	DG8	Particulates - TIM	grams per square metre per month	Monthly	1				1.2				29/07/19	14/08/19
9	DG11	Particulates - TIM	grams per square metre per month	Monthly	1				1.5				29/07/19	14/08/19
17	DG15	Particulates - TIM	grams per square metre per month	Monthly	1				0.9				29/07/19	14/08/19
13	HV1	PM10	micrograms per cubic metre	Every 6 days	6	3.2	13.9	9.6			50	No	31/07/19	14/08/19
19	HV4	PM10	micrograms per cubic metre	Every 6 days	6	4.7	21.5	12.4			50		31/07/19	14/08/19
20	HV5	PM10	micrograms per cubic metre	Every 6 days	6	3.0	33.6	19.8			50		31/07/19	14/08/19
22	TEOM3	PM10	micrograms per cubic metre	Continuous (24 Hr Average)	100.0%	5.7	50.2	22.6			50	Yes		
23	TEOM4	PM10	micrograms per cubic metre	Continuous (24 Hr Average)	100.0%	5.3	70.7	24.5			50			

Notes:

1. Limits specified in the above table are from Development Consent SSD-6764.

2. The exceedances recorded by TEOM 4 during the month were due to inversions trapping wheel generated dust from the nearby unsealed Araluen Road.

3. PM10 data recorded at TEOM 3 during the month is invalid due to instrument fault. Refer to the notes in Figure 3 for more details.





Figure 1a. DG Results - 12 Month Trend




Figure 1b. DG 5 Results - Annual Average









Figure 2. HV (PM10) Results - 12 Month Trend



Notes:

1. Limit doesn't apply for extraordinary events such as bushfires, prescribed burning, or dust storms.

2. Power outages prevented dust samples being collected from HV4: 28 September 2018, 21 and 27 December 2018, 14 January 2019 and 20 April 2019, HV1: 19 February 2019 and 21 March 2019, HV5: 19 February and 21 March.

3. Recorded PM10 dust levels above 50 µg/m3 recorded in July, November and December 2018 and February 2019 were caused by regional dust events - refer EPA PM10 dust graph on page 6 of this report.








Figure 3. TEOM (PM10) Results - 12 Month Trend

Notes:

1. Limit dosen't apply for extraordinary events such as bushfires, prescribed burning or dust storms

2. TEOM 4 (Araluen Rd) influenced by dust from Araluen Road generally during stable atmospheric conditions (i.e. temperature inversions)

3. Elevated PM10 dust levels recorded in August, November and December 2018 and February, March and April 2019 due to regional dust

4. TEOM 3 offline from December 13 to 14 due to instrument failure and repair

5. PM10 data recorded at TEOM 3 between 28 June and 31 July 2019 is invalid due to instrument fault causing inaccurate results. The data is unable to be corrected or adjusted due to the nature of the failure

----- TEOM 4 (Araluen Rd) ----- TEOM 3 (Wollar) ------


24 hour PM10 Limit (refer Notes)





Figure 4. Regional Results

Daily Averages - PM10







Surface Water Monitoring

Surface water runoff is isolated and diverted around disturbed areas through the construction of water diversion bunds. Runoff from disturbed areas is diverted into on-site water retention dams.

A Reverse Osmosis (RO) Plant treats all water from the retention dams before it is discharged to Wilpinjong Creek. The EPL specifies limits for the quantity and quality of water that may be discharged from the site.

The RO Plant has been non-operational since the end of November 2018. For this reason, no discharge data was recorded during the month.





Noise Monitoring

Environmental noise monitoring ("monitoring") is carried out monthly.

The purpose of the monitoring is to assess whether mining operations are consistent with the objectives of the EPL and the development consent conditions.

In terms of this monitoring, it is undertaken:

- 1. by an independent noise consultant;
- 2. during the night-time; and
- 3. at the sites shown in Figure 7.

On pages 9 and 10 of this report are the noise levels and findings from the consultant's report.



Table 4.2: LAeq,15minute GENERATED BY WCP AGAINST PROJECT SPECIFIC CRITERIA – JULY 2019

Locatio n	Start Date and Time	Wind Speed m/s ¹	Stability Class ¹	Criterion dB	Criterion Applies? ^{2,3}	WCP L _{Aeq,15min} dB ⁴	Exceedance ⁵
N6	02/07/2019 01:18	0.6	F	37	Yes	<30	Nil
N13	02/07/2019 00:41	0.0	F	36	Yes	<25	Nil
N14	02/07/2019 00:29	0.0	F	35	Yes	<30	Nil
N15	01/07/2019 23:10	0.0	G	35	No	<30	NA
N17	01/07/2019 22:34	0.8	F	35	Yes	27	Nil
N19	01/07/2019 22:07	0.5	F	35	Yes	<20	Nil
N20	01/07/2019 23:43	0.0	F	35	Yes	IA	Nil
N21	02/07/2019 00:56	0.8	G	35	No	<30	NA

Notes:

1. Wind speed is sourced from the WCP weather station, stability class is determined based on WCP inversion tower data;

2. Criterion may or may not apply due to rounding of meteorological data values;

 Noise emission limits apply for all meteorological conditions, except for the following: wind speeds greater than 3 m/s above ground level; or stability category F temperature inversions and wind speeds greater than 2 m/s at 10m above ground level; or stability category G temperature inversion conditions;

4. Site-only LAeq, 15minute attributed to WCP, including modifying factors if applicable; and

5. NA in exceedance column means atmospheric conditions have determined that criterion is not applicable.

Location	Start Date and Time	Wind Speed m/s ¹	Stability Class ¹	Criterion dB	Criterion Applies? ^{2,3}	WCP L _{A1,1min} dB ⁴	Exceedance ⁵
N6	02/07/2019 01:18	0.6	F	45	Yes	34	Nil
N13	02/07/2019 00:41	0.0	F	45	Yes	<25	Nil
N14	02/07/2019 00:29	0.0	F	45	Yes	<30	Nil
N15	01/07/2019 23:10	0.0	G	45	No	30	NA
N 17	01/07/2019 22:34	0.8	F	45	Yes	33	Nil
N19	01/07/2019 22:07	0.5	F	45	Yes	<25	Nil
N20	01/07/2019 23:43	0.0	F	45	Yes 🕨	IA	Nil
N21	02/07/2019 00:56	0.8	G	45	No	<30	NA

Table 4.3: LA11minute GENERATED BY WCP AGAINST PROJECT SPECIFIC CRITERIA – JULY 2019

Notes:

1. Wind speed is sourced from the WCP weather station, stability class is determined based on WCP inversion tower data;

2. Criterion may or may not apply due to rounding of meteorological data values;

 Noise emission limits apply for all meteorological conditions, except for the following: wind speeds greater than 3 m/s above ground level; or stability category F temperature inversions and wind speeds greater than 2 m/s at 10m above ground level; or stability category G temperature inversion conditions;

4. Site-only L_{A1,1minute} attributed to WCP; and

5. NA in exceedance column means atmospheric conditions have determined that criterion is not applicable.





6 SUMMARY OF COMPLIANCE

Global Acoustics was engaged by Wilpinjong Coal Pty Ltd to conduct a monthly noise survey of operations at WCP, an open cut coal mine located approximately 40 kilometres north east of Mudgee. The purpose of the attended noise monitoring survey is to quantify and describe the acoustic environment around the site and compare results with specified limits.

Attended environmental noise monitoring described in this report was undertaken during the night period of 1/2 July 2019 at eight monitoring locations.

Noise levels from WCP complied with relevant noise limits at all monitoring locations during the July 2019 monitoring. Criteria may not always be applicable due to meteorological conditions at the time of monitoring.

Global Acoustics Pty Ltd

Wilpinjong Coal received the report from Global Acoustics Pty Ltd on 22nd August 2019.





Blasting

Monitoring is carried out near sensitive locations during blasting activities to determine the vibration in the air (overpressure) and earth (ground vibration). A summary of the results of this monitoring, and the limits specified in the EPL, are shown in Tables 3 and 4. Figure 7 shows the actual overpressure and vibration levels recorded during the month.

Table 3 – Overpressure Monitoring Results

Location	Month	Number of Blasts	Minimum overpressure (dB(L))	Maximum overpressure (dB(L))	Mean overpressure (dB(L))	EPL overpressure Limits (dB(L))	Exceedance (yes/no)
Approx. 50m west of the Wollar Public School	July	19	74.1	115.8	92.2	115dB (95% blasts) 120 dB (100% blasts)	no

Table 4 – Vibration Monitoring Results

Location	Month	Number of Blasts	Minimum vibration (mm/sec)	Maximum vibration (mm/sec)	Mean vibration (mm/sec)	EPL vibration Limits (mm/sec)	Exceedance (yes/no)
Approx. 50m west of the Wollar Public School	July	19	0.03	0.87	0.23	5 mm/s (95% blasts) 10 mm/s (100% blasts)	no








Figure 7. Overpressure (dBL) and Vibration (mm/sec) recorded during Month





Continuous weather monitoring occurs onsite at the location shown on Figures 5 and 6 (**Meteorological Station**). The Meteorological Station continuously monitors for: rainfall; relative humidity; temperature (i.e. at 2m, 10m & 60m), barometric pressure, wind speed, wind direction and temperature lapse rate.

The temperature lapse rate is a measure of stable atmospheric conditions and is determined by measuring air temperature at two elevations 58m apart (i.e. 2m and 60m from ground level) and extrapolating the temperature difference over 58m to determine the lapse rate per $^{\circ}C/100m$.

Table 5 shows the meteorological data recorded during the month.

	Temperature (*C)									Humidity (2)			Prevailing Wind				Rain	Bar	Lapse Rate
Date		2.		10 m			60m				Speed			Dir	(==)	(kPa)	(oC/100m)		
	Avg	Mis	Max	٨vg	Mis	Max	Avg	Mis	Max	Avg	Mis	Max	Avg	Mis	Max	(Deg)			Max
1/07/2019	6.7	-1.1	17.4	7	-0.7	16.6	8.2	1	17	66.1	22.7	96.2	0.3	0	2.3	32	0	1023.6	7.9
2/07/2019	8.4	-0.2	19.9	8.9	0.6	18.8	10.1	2.5	18.3	65.8	33.4	89.4	0.7	0	3.5	290	0	1021.3	8.9
3/07/2019	9.5	-1.6	18.6	9.6	-0.6	18	10.1	1.4	17.2	75	45.3	95.8	2.6	0	6.2	83	0	1026.9	8.1
4/07/2019	14.2	12.1	17.9	14	12	17.3	13.6	12.1	16.4	71.5	49.4	87.8	3.6	1.2	6.3	88	0	1031.5	0.4
5/07/2019	14	11.2	17.8	13.8	11.4	17.4	13.5	11.4	16.5	69	45.8	86.7	4.6	2.4	6.3	89	0	1032.6	0.4
6/07/2019	12.4	8.7	16	12.6	9.6	15.5	12.6	10.5	14.9	77.5	60.1	93	2.5	0	5.2	84	0	1032.8	4.2
7/07/2019	11.6	6.5	18.1	11.8	6.8	17.2	12.4	9.5	16.4	78.8	51.9	96.4	1.1	0	3.3	80	0	1030.5	6.0
8/07/2019	11.3	8.1	14.4	11.4	8.7	13.9	11.5	9.6	13.8	91.1	82.2	96.4	1.1	0	3.4	297	1.2	1024.5	3.9
9/07/2019	8.5	1.9	15.8	8.5	2.1	14.6	9.2	4.2	14.4	78.3	38.4	98.5	1.5	0	5.1	276	0.4	1021.1	6.8
10/07/2019	6.1	-1.7	13.6	6.1	-1.5	12.6	7	0.7	12.1	75.6	46.9	97.9	1.6	0	5.7	281	0	1018.6	7.2
11/07/2019	9.6	0.5	15.7	9.8	1.4	14.9	10.8	4.4	14.5	63.3	33.4	98	4	0	9.7	268	0	1015.4	14.7
12/07/2019	10.4	2.6	16.7	10.5	4	16.2	11.1	5.9	15.7	65.6	42.8	90.8	3.4	0	9.7	276	0	1016.3	6.7
13/07/2019	10.2	7.5	12.7	9.9	7.4	12.4	9.6	6.9	12.4	53.4	36.8	80.3	4.2	1.1	7.7	252	0.2	1017.5	-0.2
14/07/2019	7.8	3	11.9	7.5	3.1	11.2	7.3	4	10.5	59.9	41.7	83.6	3.8	1.8	٦	256	0	1022.5	2.6
15/07/2019	9.7	6	13.5	3.4	6	12.6	9.1	6.6	11.9	61.5	40	78	3.6	0.5	6.8	252	0	1019.4	2.1
16/07/2019	9.4	0.9	16.4	9.3	2.5	15.6	3.4	4	15.1	64.9	39.2	94.8	2.7	0	7.9	245	0	1020.8	5.4
17/07/2019	9.5	2.4	16	9.3	3.3	15.2	9.4	4.3	14.4	64.6	41.7	94.4	2.5	0	5.7	256	0	1019.1	5.1
18/07/2019	10	2.9	15.5	10	4.2	14.7	10.1	5.9	14	59.9	37.8	84.7	2.7	0	5.8	259	0	1018.1	7.9
19/07/2019	8	-0.3	18.5	8.2	0.4	17.7	9.2	2.7	17.2	69	34.6	95.4	1	0	3.4	278	0	1021.5	9.1
20/07/2019	7.7	-2.1	20.1	8.1	-1.5	19.6	9.5	0.7	18.7	64.4	21	96.9	0.3	0	3.5	318	0	1022.1	11.4
21/07/2019	8.8	-1.7	21.4	3.4	-0.8	20.7	11	1.5	20	57.8	22.3	88.3	1.4	0	7.1	288	0	1018.1	11.2
22/07/2019	11	3.8	22	11.4	4.7	21.1	12.9	6.6	20.6	55.8	23.8	78	0.6	0	4	305	0	1016.7	11.4
23/07/2019	10	-0.7	19.4	10.3	0.7	18.8	11.6	3.1	18.2	51.6	20.9	94	2.2	0	6.3	276	0	1018.4	9.8
24/07/2019	12.9	7.4	17.6	12.6	7.7	16.9	12.5	8.9	16.3	43.9	30.2	63.4	2.8	0.1	6.2	247	0	1020.6	6.5
25/07/2019	8.3	-0.8	18.2	8.1	-0.1	17	9.8	1.8	16.6	65	33.3	92	0.7	0	3.3	68	0	1024.5	8.4
26/07/2019	9.8	0.2	18.9	9.5	0.2	17.9	10.5	2.7	17	60.4	27.6	94	1.1	0	5.1	278	0	1021.6	6.1
27/07/2019	10.8	2.2	19	11	2.8	18.1	12	4.6	17.6	59	31.7	90.6	0.7	0	3	276	0	1021.8	9.6
28/07/2019	9.7	1.7	19.4	9.9	2.2	18.3	11.4	4.5	17.5	61.2	25.8	92.9	0.3	0	3	265	0	1023.1	10.0
29/07/2019	9.8	-1.3	19.6	9.8	-0.6	19	10.8	2	18.2	64.5	34.4	91.5	1.2	0	4.9	246	0	1020.9	8.8
30/07/2019	11.1	6.6	16.8	10.7	6.7	15.7	11.2	8.1	14.9	78.6	50.7	94	0.9	0	4.5	77	0.6	1022.5	4.0
31/07/2019	9.5	3.3	15.2	8.8	3.4	14.1	10.1	5.1	13.9	78.1	54.2	97.5	1.6	0	5.2	78	0.2	1027.6	7.7

Table 5 – Monthly Meteorological Data





Figure 6 – Air (Dust) Monitoring Locations








Figure 7 – Attended Noise Monitoring Locations

