



# WILPINJONG COAL PTY LTD Environment Protection Licence (EPL) 12425

**Link to Environment Protection Licence EPL12425** 

# LICENCE MONITORING DATA MONTHLY SUMMARY REPORT

for

1 May 2019 to 31 May 2019





# **Air Monitoring**

Air quality surrounding the Wilpinjong Coal Mine is monitored using:

- 1. tapered element oscillating microbalances (TEOM);
- 2. high volume air samplers (HV); and
- 3. dust deposition gauges (DG).

In terms of the above equipment:

- 1. the TEOM and HVAS measure fine dust particles up to 10 microns in diameter (i.e. PM10); and
- 2. the DG measure the total dust deposited in the gauge during the sample period.

All are influenced by mining as well as non-mining activities in the local area.

The location of the above monitoring equipment in relation to Wilpinjong Coal Mine is shown in Figures 6 and 8.

A summary of the monitoring results for the month is provided in Table 1 and the yearly trends are also shown in Figures 1 to 3.

For comparison with Figures 2 and 3, Figure 4 displays the Regional 24Hr PM10 Average. PM10 dust levels have been recorded in Bathurst and Merriwa by NSW EPA.





Table 1 - Air Monitoring

EPL ID No.	Monitoring Point ID.	Pollutant	Unit of Measure	Monitoring Frequency required by EPL	No. of times measured during month	Min. Value	Max. Value	Mean Value	Measurement	Annual Average	Limit	Exceed* (yes/no)	Date Last Sampled	Date Reported
3	DG4	Particulates - TSM	grams per square metre per month	Monthly	1				3.9				28/05/19	18/06/19
4	DG5	Particulates - TSM	grams per square metre per month	Monthly	1				1.2	2.2	4.0	No	28/05/19	18/06/19
6	DG8	Particulates - TSM	grams per square metre per month	Monthly	1				1.4				28/05/19	18/06/19
9	DG11	Particulates - TSM	grams per square metre per month	Monthly	1				1.4				28/05/19	18/06/19
17	DG15	Particulates - TSM	grams per square metre per month	Monthly	1				1.0				28/05/19	18/06/19
13	HV1	PM10	micrograms per cubic metre	Every 6 days	5	7.5	18.0	11.4			50	No	26/05/19	05/06/19
19	HV4	PM10	micrograms per cubic metre	Every 6 days	5	8.3	19.4	14.8			50		26/05/19	05/06/19
20	HV5	PM10	micrograms per cubic metre	Every 6 days	5	12.9	27.3	20.5			50		26/05/19	05/06/19
22	TEOM3	PM10	micrograms per cubic metre	Continuous (24 Hr Average)	100.0%	5.2	15.8	10.1			50	No		
23	TEOM4	PM10	micrograms per cubic metre	Continuous (24 Hr Average)	100.0%	3.8	47.8	19.9			50			


#### Notes:

<sup>1.</sup> Limits specified in the above table are from Development Consent SSD-6764.






Figure 1a. DG Results - 12 Month Trend



- Limit of 4 g/m2/month (annual average) applies to DG5 (Wollar Village) refer Figure 1b.
   The excessive dust level recorded at DG4 in December 2018 was caused by a high concentration of deposited organic matter.
- 3. Excessive dust levels recorded by DG5 in December 2018 and DG11 in January 2019 were caused by agricultural activities.












Figure 2. HV (PM10) Results - 12 Month Trend



- 1. Limit doesn't apply for extraordinary events such as bushfires, prescribed burning, or dust storms.
- 2. Power outages prevented dust samples being collected from HV4: 28 September 2018, 21 and 27 December 2018, 14 January 2019 and 20 April 2019, HV1: 19 February 2019 and 21 March 2019, HV5: 19 February and 21 March 2019, HV5: 19 February 2019 and 20 April 2019, HV6: 2019, HV7: 19 February 2019 and 20 April 2019, HV6: 2019, HV7: 2019 and 20 April 2019 and 2019
- 3. Recorded PM10 dust levels above 50 µg/m3 recorded in July, November and December 2018 and February 2019 were caused by regional dust events refer EPA PM10 dust graph on page 6 of this report.




- 1. Limit dosen't apply for extraordinary events such as bushfires, prescribed burning or dust storms
- 2. TEOM 4 (Araluen Rd) influenced by dust from Araluen Road generally during stable atmospheric conditions (i.e. temperature inversions)
- 3. Elevated PM10 dust levels recorded in August, November and December 2018 and February, March and April 2019 due to regional dust events refer EPA PM10 dust graph on page 6 of this report.
- 4. TEOM 4 offline from July 20 to July 23 due to instrument fault and repairs.
- 5. TEOM 3 offline from December 13 to 14 due to instrument failure and repair





Figure 4. Daily PM10 Average Regional Results

# Daily Averages - PM10







# **Surface Water Monitoring**

Surface water runoff is isolated and diverted around disturbed areas through the construction of water diversion bunds. Runoff from disturbed areas is diverted into on-site water retention dams.

A Reverse Osmosis (RO) Plant treats all water from the retention dams before it is discharged to Wilpinjong Creek. The EPL specifies limits for the quantity and quality of water that may be discharged from the site.

The RO Plant has been non-operational since the end of November 2018. For this reason, no discharge data was recorded during the month.





# **Noise Monitoring**

Environmental noise monitoring ("monitoring") is carried out monthly.

The purpose of the monitoring is to assess whether mining operations are consistent with the objectives of the EPL and the development consent conditions.

In terms of this monitoring, it is undertaken:

- 1. by an independent noise consultant;
- 2. during the night-time; and
- 3. at the sites shown in Figure 9.

On pages 9 and 10 of this report are the noise levels and findings from the consultant's report.



Table 4.2: LAeq,15minute GENERATED BY WCP AGAINST PROJECT SPECIFIC CRITERIA – MAY 2019

Location	Start Date and Time	Wind Speed m/s <sup>1,2</sup>	Stability Class <sup>1,2</sup>	Criterion dB	Criterion Applies? <sup>2,3</sup>	WCP L <sub>Aeq,15</sub> min dB <sup>4,5</sup>	Exceedance 5,6
N6	13/05/2019 23:13	0.0	F	37	Yes	IA	Nil
N13	14/05/2019 01:19	0.0	F	36	Yes	<25	Nil
N14	14/05/2019 00:35	0.0	F	35	Yes	IA	Nil
N15	13/05/2019 22:54	0.7	F	35	Yes	IA	Nil
N17	13/05/2019 22:24	0.0	G	35	No	IA	NA
N19	13/05/2019 22:00	0.0	F	35	Yes	IA	Nil
N20	13/05/2019 23:42	0.7	F	35	Yes	IA	Nil
N21	14/05/2019 01:00	0.6	G	35	No	<20	NA

#### Notes:

- 1. Wind speed is sourced from the WCP weather station, stability class is determined based on WCP inversion tower data;
- 2. Criterion may or may not apply due to rounding of meteorological data values;
- Noise emission limits apply for all meteorological conditions, except for the following: wind speeds greater than 3 m/s above ground level;
  or stability category F temperature inversions and wind speeds greater than 2 m/s at 10m above ground level; or stability category G
  temperature inversion conditions;
- 4. These are results for WCP in the absence of all other noise sources;
- 5. Bold results in red are those greater than the relevant criterion (if applicable); and
- 6. NA in exceedance column means atmospheric conditions have determined that criterion is not applicable.

Table 4.3: LA11minute GENERATED BY WCP AGAINST PROJECT SPECIFIC CRITERIA - MAY 2019

Location	Start Date and Time	Wind Speed m/s 1,2	Stability Class <sup>1,2</sup>	Criterion dB	Criterion Applies?	WCP L <sub>A1,1min</sub> dB <sup>4,5</sup>	Exceedance 5,6
N6	13/05/2019 23:13	0.0	F	45	Yes	IA	Nil
N13	14/05/2019 01:19	0.0	F	45	Yes	27	Nil
N14	14/05/2019 00:35	0.0	F	45	Yes	IA	Nil
N15	13/05/2019 22:54	0.7	F	45	Yes	IA	Nil
N17	13/05/2019 22:24	0.0	G	45	No	IA	NA
N19	13/05/2019 22:00	0.0	F	45	Yes	IA	Nil
N20	13/05/2019 23:42	0.7	F	45	Yes	IA	Nil
N21	14/05/2019 01:00	0.6	G	45	No	<20	NA

#### Notes:

- 1. Wind speed is sourced from the WCP weather station, stability class is determined based on WCP inversion tower data;
- 2. Criterion may or may not apply due to rounding of meteorological data values;
- Noise emission limits apply for all meteorological conditions, except for the following: wind speeds greater than 3 m/s above ground level;
  or stability category F temperature inversions and wind speeds greater than 2 m/s at 10m above ground level; or stability category G
  temperature inversion conditions;
- These are results for WCP in the absence of all other noise sources;
- Bold results in red are those greater than the relevant criterion (if applicable); and
- 6. NA in exceedance column means atmospheric conditions have determined that criterion is not applicable.





# 6 SUMMARY OF COMPLIANCE

Global Acoustics was engaged by Wilpinjong Coal Pty Ltd to conduct a noise survey around Wilpinjong Coal Project (WCP), an open cut coal mine located approximately 40 kilometres north east of Mudgee.

Environmental noise monitoring described in this report was undertaken during the night period of 13/14 May 2019. Attended noise monitoring was conducted at eight sites. The duration of all measurements was 15 minutes.

Noise levels from WCP complied with relevant noise limits at all monitoring locations during the May 2019 monitoring. Criteria may not always be applicable due to meteorological conditions at the time of monitoring.

# Global Acoustics Pty Ltd

Wilpinjong Coal received the report from Global Acoustics Pty Ltd on 19th June 2019.





# Blasting

Monitoring is carried out near sensitive locations during blasting activities to determine the vibration in the air (overpressure) and earth (ground vibration). A summary of the results of this monitoring, and the limits specified in the EPL, are shown in Tables 3 and 4. Figure 7 shows the actual overpressure and vibration levels recorded during the month.

**Table 3 – Overpressure Monitoring Results** 

Location	Month Number of Blasts		Minimum overpressure (dB(L))	Maximum overpressure (dB(L))	Mean overpressure (dB(L))	EPL overpressure Limits (dB(L))	Exceedance (yes/no)
Approx. 50m west of the Wollar Public School	May	20	69.8	105.6	86.1	115dB (95% blasts) 120 dB (100% blasts)	no


**Table 4 – Vibration Monitoring Results** 

Location	Month	Number of Blasts	Minimum vibration (mm/sec)	Maximum vibration (mm/sec)	Mean vibration (mm/sec)	EPL vibration Limits (mm/sec)	Exceedance (yes/no)	
Approx. 50m west of the Wollar Public School	May	20	0.02	0.98	0.12	5 mm/s (95% blasts) 10 mm/s (100% blasts)	no	





Figure 7. Overpressure (dBL) and Vibration (mm/sec) recorded during Month







### **Weather Monitoring**

Continuous weather monitoring occurs onsite at the location shown on Figures 5 and 6 (**Meteorological Station**). The Meteorological Station continuously monitors for: rainfall; relative humidity; temperature (i.e. at 2m, 10m & 60m), barometric pressure, wind speed, wind direction and temperature lapse rate.

The temperature lapse rate is a measure of stable atmospheric conditions and is determined by measuring air temperature at two elevations 58m apart (i.e. 2m and 60m from ground level) and extrapolating the temperature difference over 58m to determine the lapse rate per °C/100m.

Table 5 shows the meteorological data recorded during the month.

**Table 5 – Monthly Meteorological Data** 

	Temperature (*C)									Humidity (2)			Prevailing Wind				Rain	Bar	Lapse Rate
Date		2=		10m			60m					Speed			Dir	(mm)	(hPa)	(oC/100m)	
	Avg	Min	Max	Avg	Min	Max	Avg	Min	Max	Avg	Mis	Max	Avg	Mis	Max	(Deg)			Max
1/05/2019	17.3	11.5	21.8	17.3	12.1	21.4	17.4	12.9	20.8	77.5	62	93.4	1.2	0	3.7	81	0	1021.3	4.0
2/05/2019	18.8	14.7	23.7	18.9	15	23.1	19.2	16.1	22.2	76.7	55.9	91.9	0.5	0	2.1	56	0	1023	6.5
3/05/2019	17	14.4	21.7	17	14.6	20.9	17	15	20.3	89.2	61.3	96.2	1	0	4.6	303	12.8	1018.8	4.2
4/05/2019	16.1	9.6	19.4	16.1	10.2	18.7	15.9	12.2	18	69.3	41.5	96.5	2.2	0	5.6	229	0.6	1015.6	5.3
5/05/2019	12.5	5.9	19.3	12.8	6.3	18.5	13.3	7.7	17.7	72.3	41.2	97.4	0.6	0	3.5	205	0	1017.7	6.8
6/05/2019	11.7	5.1	19.6	11.9	5.5	18.9	12.7	7	18.3	71	35.4	97.1	0.6	0	3.4	265	0	1018	7.5
7/05/2019	11.1	3.2	19.9	11.5	4	19.4	12.6	5.5	18.8	71	36.2	97.2	1.7	0	6.2	275	0	1016.5	9.3
8/05/2019	11	5.2	17.2	11.3	6	16.6	12.4	8.3	15.9	66	38.3	96	2.1	0	6.7	257	0	1016.3	10.5
9/05/2019	9.9	1.4	20.4	10.3	2.1	20	11.1	3.8	18.8	68.5	30	96	0.5	0	2.3	302	0	1017.9	6.7
10/05/2019	8.6	4	13.5	8.7	4.7	13.3	9	6.3	12.8	80.8	56.3	91.1	2.7	0	7.7	276	2	1016.7	4.9
11/05/2019	10	5	14.4	10	5.7	13.8	9.7	6.5	12.9	73	54.7	92.1	3.5	0	7.9	256	0.6	1022.6	4.4
12/05/2019	9.8	1.2	20.1	10.1	1.8	19.3	10.7	3	18.2	74.3	39.3	96.9	0.3	0	2.2	358	0	1027.4	6.7
13/05/2019	11.7	2.6	20.7	12	3.1	20	12.6	4.8	19.2	78.8	51.2	97.1	0.4	0	2.5	48	0	1028.1	5.1
14/05/2019	13.3	6.4	21.9	13.6	6.9	21.1	14.5	8.7	20.3	70.4	32.8	97.7	0.9	0	4.2	236	0	1027.3	7.5
15/05/2019	11.4	3.1	21.3	11.8	3.9	20.4	13.1	5.5	19.5	72.8	34.7	36.6	0.7	0	3.9	60	0	1028.9	11.1
16/05/2019	12.1	4.4	21.6	12.5	5.4	20.6	13.6	7.1	19.6	78.1	45.5	97.6	0.9	0	5.1	73	0	1027	8.9
17/05/2019	14	8.8	22.1	14.3	9.8	21.8	14.9	10.6	21	74.8	36	91.8	0.2	0	2.5	12	0	1026.6	7.7
18/05/2019	13.7	6	22.8	14.2	6.8	22.1	15	8.3	21.7	74.9	37.9	97.6	0.4	0	2.3	78	0	1028.6	9.1
19/05/2019	13.2	6.2	20.8	13.7	6.6	20.2	14.9	8.9	19.6	77.8	47	97.4	1	0	4.4	78	0	1029.1	10.7
20/05/2019	14.4	6.1	22.6	14.7	6.9	21.9	15.2	8.4	21.2	73.1	42.1	97.1	0.8	0	3.5	292	0	1026.2	5.3
21/05/2019	14.5	7.1	23.4	14.9	7.5	22.8	15.8	9.2	22.2	73	38.8	97.1	0.8	0	4.2	256	0	1025.7	7.4
22/05/2019	14.4	6.2	24.5	14.9	6.9	23.7	15.9	9	23	69.9	33.4	97	0.6	0	4	250	0	1027.1	8.1
23/05/2019	13.8	7	23.6	14.1	8.1	22.6	14.9	9.3	22	71.6	34.5	94.5	0.2	0	3.1	303	0	1026.4	6.8
24/05/2019	12.5	4.4	22.6	12.9	5.2	21.8	13.9	6.9	21.2	68.8	32.5	96.8	0.7	0	3.8	246	0	1023.5	8.1
25/05/2019	11.8	2.4	22.7	12.3	3.3	22.2	13.5	5.2	21.6	67.7	28	96.7	0.7	0	3.9	259	0	1019.9	7.7
26/05/2019	12.1	4.2	19.4	12.5	5.1	19.1	13.3	7.1	18.4	69.6	44.1	93.2	1.6	0	5.1	264	0	1016.1	13.7
27/05/2019	8.2	3.3	15.2	8.5	4.3	14.6	9	5.4	13.9	74.9	45.7	95.2	3.2	0	9.5	265	1	1015.1	9.1
28/05/2019	7.5	1.8	12.6	7.6	2.6	12.1	7.8	3.6	11.7	66.9	46.5	90.4	2.9	0	6.9	280	0	1016.5	5.3
29/05/2019	10.9	7.6	13.7	10.6	7.5	13.5	10.3	7.3	13.1	63.9	49.5	82.5	5.1	2.6	8.2	271	0.6	1011.7	0.4
30/05/2019	7.2	3.1	11.6	7	3.1	10.9	6.9	3.9	10.3	65.3	39.7	91.6	2.8	0.9	6.3	250	0	1020.1	2.8
31/05/2019	8.1	2.3	16.2	7.9	2.7	15.4	8.1	3.2	15	71.9	43.9	93.6	2.2	0	4.7	274	0	1024.3	4.7





Figure 6 – Air (Dust) Monitoring Locations








Figure 7 – Attended Noise Monitoring Locations








Figure 8 - Wollar Village Environmental Monitoring Sites

