

**WAMBO COAL
POLLUTION MONITORING DATA
1 FEBRUARY 2021 – 28 FEBRUARY 2021
FEBRUARY REPORT**

Published 4 March 2021

**Environment Protection Licence Number: 529
Licensee: Wambo Coal Pty Limited, PMB 1, Singleton NSW 2330
Premises: Wambo Coal Pty Limited, Jerrys Plains Road, Warkworth NSW 2330**

The following pollution monitoring data is published as a requirement of the Wambo Environmental Protection Licence (EPL) 529. A link to EPL529 can be found on the Environmental Protection Authority (EPA) Public Register. A link to the EPA's public register can be found at: <https://www.epa.nsw.gov.au/licensing-and-regulation/public-registers/about-prpoeo>

Monthly interim reports will be provided on a fortnightly basis until a final monthly report is produced when all monthly data is available.

The location of each sampling point is provided in 'Plan 2672-2' at the end of this document.

Monitoring Data

Surface and Mine Water Dam Monitoring

Monitoring Frequency: Once per month

Sampling Method: Grab sample

Limits: Nil

Table 1 - WCPL Surface and Mine Water Dam Results

EPL ID	Site ID	Date	pH	EC (µS/cm)	TSS (mg/L)	Comments
Point 24	SW01					Yet to receive water sample analysis.
Point 25	SW02					
Point 26	SW03					
Point 27	SW04					
Point 28	SW05					
Point 29	SW06					
Point 30	SW07					
Point 31	SW08					
Point 33	SW15					
Point 34	SW27a					
Point 36	SW32a					
Point 39	SW39					
Point 40	SW40					
Point 41	SW41					

Water Discharge Monitoring

Monitoring Frequency: Continuous during discharge (EC, pH, Turbidity)
 Daily during discharge (TSS, Volume)
 Sampling Method: In line instrumentation (EC, pH Turbidity)
 Grab sample (TSS)
 Limits: pH- 6.5 to 9.5
 TSS – 120
 Volume – 250ML/day
 Date sampled: Continuous
 Date obtained: Continuous

Table 2 - WCPL Discharge Monitoring

Site	Date	pH	TSS (mg/L)	Turbidity (NTU)	Volume (ML/day)	Comments
Point 4						No Discharges
Point 19						No Discharges

Sewerage Treatment Monitoring

Monitoring Frequency: Quarterly during discharge
 Sampling Method: Grab sample
 Limits: Nil
 Date sampled: No sample in February
 Date obtained: No sample in February

Table 3- WCPL Discharge Monitoring

EPL ID	Site ID	Date	pH	Faecal Coliforms	Comments
Point 42	STPD2	-	-	-	No sample in February
Point 43	STPD3				No sample in February
Point 52	STP2	-	-	-	No sample in February
Point 55	STPD1	-	-	-	No sample in February

PM10 Monitoring

Monitoring Frequency: Continuous

Sampling Method: AM22

Limits: Nil

Date sampled: Continuous

Date obtained: Continuous

Table 4 - WCPL PM10 Results

Date of Run	PM02 - Wambo Road (Caban) (EPA14)		PM03 - Thelander (EPA15)		PM04 - Muller (EPA16)		PM05 - Kelly (EPA 53)	
	PM10 24 Hour Result (ug/m ³)	Annual Average	PM10 24 Hour Result (ug/m ³)	Annual Average	PM10 24 Hour Result (ug/m ³)	Annual Average	PM10 24 Hour Result (ug/m ³)	Annual Average
1/02/2021	12.6	16.34	23.6	19.33	9.44	11.48	4.5	13.33
2/02/2021	8.5	16.21	15.2	19.26	8.53	11.37	4.2	13.23
3/02/2021	17.1	16.19	26.5	19.25	13.53	11.34	7.2	13.17
4/02/2021	17.5	16.11	32.2	19.15	17.13	11.22	11.9	13.16
5/02/2021	16.5	16.09	31.8	19.11	14.91	11.19	3.8	13.06
6/02/2021	15.6	16.10	21.6	19.11	9.55	11.19	8.5	13.01
7/02/2021	12.6	16.13	15.1	19.13	9.51	11.21	6.1	12.94
8/02/2021	13.2	16.14	20.4	19.16	13.74	11.22	5.4	12.87
9/02/2021	12.4	16.16	17.1	19.18	13.76	11.25	11.8	12.86
10/02/2021	12.5	16.16	12.3	19.17	NaN	11.25	11.9	12.85
11/02/2021	16.4	16.15	14.8	19.16	NaN	11.24	9.7	12.82
12/02/2021	18.5	16.16	38.2	19.22	10.74	11.21	22.5	12.91
13/02/2021	9.4	16.15	12.3	19.18	13.92	11.21	10.9	12.89
14/02/2021	14	16.14	25.8	19.21	12.51	11.19	16.4	12.92
15/02/2021	10	16.11	14.7	19.18	10.49	11.17	11.2	12.91
16/02/2021	8	16.09	16.7	19.17	NaN	11.14	7.1	12.85
17/02/2021	12.6	16.09	28.5	19.21	14.18	11.15	17.2	12.89
18/02/2021	15.1	16.07	21.7	19.21	12.28	11.14	19.0	12.95
19/02/2021	9.8	16.00	17.4	19.16	NaN	11.14	11.8	12.94
20/02/2021	10.3	15.95	20	19.14	9.18	11.10	13.3	12.94
21/02/2021	7.3	15.91	13.8	19.09	5.17	11.04	10.9	12.92
22/02/2021	12	15.90	20.7	19.08	9.32	11.00	5.7	12.86
23/02/2021	14.7	15.90	18.4	19.06	13.82	10.99	14.9	12.88
24/02/2021	10.1	15.90	13.8	19.06	9.63	10.98	9.3	12.85
25/02/2021	15.5	15.90	17.6	19.05	13.33	10.98	15.0	12.87
26/02/2021	16	15.91	24.1	19.09	12.83	10.99	13.7	12.87
27/02/2021	17	15.87	27.1	19.09	15.30	10.97	21.7	12.95
28/02/2021	17.6	15.85	27.8	19.09	20.73	10.96	19.0	13.00

*NaN >75% of data collected during period

Meteorological Monitoring

Monitoring Frequency: Continuous

Sampling Method: Site Meteorological Station EPA17

Limits: Nil

Date sampled: continuous

Date obtained: continuous

Table 5 - WCPL Meteorology

Date	Temperature (2m)			Temperature (10m)			Humidity			Solar Radiation		RAIN	Wind Speed			Wind Direction at 10m	Sigma Theta		
	Average	Min	Max	Average	Min	Max	Average	Min	Max	Average	Max	Sum (mm)	Average	Min	Max	Average	Average	Max	Min
1/02/2021	26.5	21.0	31.1	26.2	21.1	30.2	63.9	46.1	89	419.1	1274.8	0.0	2.3	0.8	5.1	131	22.6	56.0	9.8
2/02/2021	21.8	18.5	27.3	21.6	18.5	26.4	77.9	48.5	100	244.4	1306.3	39.6	2.2	0.2	5.1	126	22.5	79.7	10.7
3/02/2021	21.2	17.1	26.5	21.1	17.5	25.5	69.8	51.0	91	250.8	1245.9	0.0	2.0	0.5	4.8	119	19.9	85.1	7.3
4/02/2021	23.9	16.1	31.6	23.9	16.8	31.1	69.3	39.2	100	339.4	1163.3	0.0	1.6	0.2	5.3	119	25.3	88.1	7.7
5/02/2021	25.7	18.4	32.9	25.6	18.8	32.2	67.2	37.5	100	372.4	1130.2	0.0	2.0	0.1	5.2	124	23.8	69.2	10.0
6/02/2021	22.9	20.1	28.4	23.0	20.4	28.3	87.8	53.7	100	97.5	470.3	5.6	1.4	0.1	5.1	195	27.5	99.5	9.1
7/02/2021	24.1	19.0	30.5	24.0	19.6	29.7	73.6	42.3	100	300.6	1255.0	9.2	2.1	0.2	5.6	205	25.7	91.5	11.1
8/02/2021	21.8	18.4	26.0	21.8	18.9	25.3	71.2	54.7	89	190.2	1140.4	0.0	2.3	0.6	4.8	127	19.6	58.7	11.4
9/02/2021	21.4	15.9	26.6	21.4	16.9	25.8	66.8	44.1	93	272.4	1364.0	0.0	2.2	0.3	4.8	130	20.5	64.8	10.7
10/02/2021	19.4	13.6	24.8	19.5	14.4	24.2	76.5	51.5	100	222.8	1115.8	0.0	2.0	0.0	4.9	129	24.0	95.0	8.2
11/02/2021	21.6	13.1	29.6	21.8	14.1	29.1	68.5	37.7	100	377.3	1134.9	0.0	1.2	0.1	4.2	160	28.8	99.2	8.8
12/02/2021	24.0	14.4	33.4	24.2	14.9	32.8	68.4	37.6	100	242.3	1181.5	0.0	1.6	0.1	4.3	232	24.5	86.0	4.5
13/02/2021	21.8	19.6	24.2	21.8	19.8	24.2	94.2	78.7	100	82.5	527.2	35.6	1.7	0.1	4.0	206	23.5	96.2	9.4
14/02/2021	21.1	16.8	26.6	21.1	17.4	25.8	66.7	41.6	92	327.5	1422.3	0.0	2.3	0.6	4.6	142	19.3	51.3	8.8
15/02/2021	20.4	15.1	24.6	20.5	16.5	24.0	68.9	48.7	98	242.9	1207.1	0.2	2.7	0.3	5.5	155	21.8	65.8	10.6
16/02/2021	21.6	18.1	26.9	21.6	18.3	26.3	79.8	50.8	100	282.7	1156.4	4.2	3.2	0.8	7.4	130	17.5	29.5	9.9
17/02/2021	21.2	17.9	25.3	21.1	18.2	24.8	72.9	45.3	100	253.5	1355.5	3.4	2.9	0.7	6.4	133	17.7	32.2	8.2
18/02/2021	20.4	16.8	24.0	20.5	17.4	23.5	80.2	58.6	100	154.7	926.4	14.0	2.2	0.8	5.4	137	17.0	53.3	7.6
19/02/2021	22.2	19.5	27.0	22.2	19.7	26.7	87.3	62.6	100	177.5	1313.6	5.2	1.9	0.6	4.6	140	22.5	81.1	9.3
20/02/2021	23.3	19.0	28.1	23.3	19.4	27.2	84.1	63.5	100	263.9	1552.2	0.0	1.9	0.0	4.3	127	22.1	87.2	6.8
21/02/2021	24.0	19.6	29.5	24.0	20.1	29.0	80.9	54.4	100	278.2	1264.8	0.0	1.8	0.2	4.2	137	18.8	64.0	8.7
22/02/2021	23.9	19.9	32.2	23.9	20.1	31.6	81.4	45.1	100	299.1	1105.7	9.6	1.0	0.0	4.4	196	35.2	101.1	7.7
23/02/2021	20.1	18.2	22.1	20.1	18.4	22.2	77.1	68.0	94	78.1	437.1	0.2	2.0	0.9	3.4	154	18.8	26.1	10.4
24/02/2021	19.2	17.4	21.3	19.1	17.3	21.3	84.4	74.1	99	83.3	602.2	3.2	2.0	0.6	4.1	153	18.2	28.2	11.5
25/02/2021	20.5	17.0	24.4	20.6	17.1	24.5	91.1	68.7	100	117.4	827.0	0.0	1.1	0.1	3.3	135	24.9	96.1	4.9
26/02/2021	23.8	14.9	33.9	23.9	15.6	33.4	71.9	32.2	100	337.4	1123.2	0.0	2.2	0.1	5.6	217	29.0	92.2	7.5
27/02/2021	22.3	19.9	25.7	22.3	19.9	25.2	87.3	73.0	100	91.7	704.5	0.4	1.4	0.3	3.8	148	22.9	55.6	8.4
28/02/2021	24.1	19.0	31.0	24.1	19.1	30.6	81.2	43.8	100	279.1	1214.0	0.0	1.5	0.0	4.9	145	28.3	97.9	5.9
	22.2	13.1	33.9	22.2	14.1	33.4	76.9	32.2	100	236.6	1552.2	130.4	1.9	0.0	7.4	152	22.9	101.1	4.5

